

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Pegasus Piss Solvent Free Terpene Profile
Product code	: TPBL307
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Consumer use; professional use — aromatic essential oil.

1.2.2. Uses advised against

Any use other than as intended and according to label instructions; not for ingestion.

1.3. Details of the supplier of the safety data sheet

Phytoca Trading ApS Bredesvinget 4 2830 Virum Denmark Contact: support@extractconsultants.com	EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES 2150 INDUSTRIAL DR, NILES MI 49120 www.extractconsultants.com INFORMATION: 1-888-541-9089
---	--

1.4. Emergency telephone number

Emergency number	CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN: 1025270
------------------	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May be fatal if swallowed and enters airways. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: ocimene; beta-caryophyllene; D-limonene; terpinolene; geraniol; linalool; citral; alpha-terpinene; MYRCENE BETA, NATURAL; beta-pinene
Hazard statements (CLP)	: H226 - Flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P302+P352 - IF ON SKIN: Wash with plenty of water. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see supplemental first aid instruction on this label). P331 - Do NOT induce vomiting. P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use media other than water to extinguish. P391 - Collect spillage. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	BENZYL ACETATE (140-11-4), D-LIMONENE (5989-27-5), ALPHA-PINENE (80-56-8)(¹), BETA-PINENE (127-91-3), CAMPHENE (79-92-5)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	BENZYL ACETATE (140-11-4), D-LIMONENE (5989-27-5), ALPHA-PINENE (80-56-8)(¹), BETA-PINENE (127-91-3), CAMPHENE (79-92-5)

(¹) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	GERANIOL (106-24-1)

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
D-LIMONENE substance with national workplace exposure limit(s) (DE, ES)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2	10 – 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
ETHYL BUTYRATE	CAS-No.: 105-54-4 EC-No.: 203-306-4	10 – 25	Flam. Liq. 3, H226 Aquatic Acute 1, H400
MYRCENE	CAS-No.: 123-35-3 EC-No.: 204-622-5	5 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
GAMMA UNDECALACTONE	CAS-No.: 104-67-6 EC-No.: 203-225-4	5 – 10	Aquatic Chronic 3, H412
ETHYL CAPROATE	CAS-No.: 123-66-0 EC-No.: 204-640-3	5 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315
LINALOOL	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2	1 – 5	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
BETA-CARYOPHYLLENE	CAS-No.: 87-44-5 EC-No.: 201-746-1	1 – 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
OCIMENE	CAS-No.: 13877-91-3 EC-No.: 237-641-2	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
BETA-PINENE substance with national workplace exposure limit(s) (BE, ES)	CAS-No.: 127-91-3 EC-No.: 204-872-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
CITRAL substance with national workplace exposure limit(s) (BE, ES)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
GERANIOL	CAS-No.: 106-24-1 EC-No.: 203-377-1	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
3-HEXENOL	CAS-No.: 928-96-1 EC-No.: 213-192-8	1 – 5	Flam. Liq. 3, H226 Eye Irrit. 2, H319
ETHYL ISOVALERATE	CAS-No.: 108-64-5 EC-No.: 203-602-3	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HEXYL BUTYRATE	CAS-No.: 2639-63-6 EC-No.: 220-136-6	1 – 5	Aquatic Chronic 2, H411
TERPINOLENE	CAS-No.: 586-62-9 EC-No.: 209-578-0	1 – 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 1, H410 Aquatic Acute 1, H400
ALLYL HEXANOATE	CAS-No.: 123-68-2 EC-No.: 204-642-4	0.1 – 1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Aquatic Acute 1, H400
CAMPHOR substance with national workplace exposure limit(s) (BE, FR, GB)	CAS-No.: 464-49-3 EC-No.: 207-355-2	0.1 – 1	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
BETA-MYRCENE	CAS-No.: 123-35-3 EC-No.: 204-622-5	0.1 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
4-(P-HYDROXYPHENYL)-2-BUTANONE	CAS-No.: 5471-51-2 EC-No.: 226-806-4	0.1 – 1	Aquatic Acute 1, H400
BENZYL ACETATE substance with national workplace exposure limit(s) (BE, ES)	CAS-No.: 140-11-4 EC-No.: 205-399-7	0.1 – 1	Aquatic Chronic 3, H412
CAMPHENE	CAS-No.: 79-92-5 EC-No.: 201-234-8	0.1 – 1	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ALPHA-TERPINENE	CAS-No.: 99-86-5 EC-No.: 202-795-1	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
ALPHA-PINENE substance with national workplace exposure limit(s) (BE, ES)	CAS-No.: 80-56-8 EC-No.: 201-291-9	< 0.1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Call a physician immediately.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: No data available.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	---

6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Packaging materials	: Always store product in container of same material as original container.

Switzerland

Storage class (LK)	: LK 3 - Flammable liquids
--------------------	----------------------------

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

BENZYL ACETATE (140-11-4)	
Belgium - Occupational Exposure Limits	
Local name	Acétate de benzyle # Benzylacetaat
OEL TWA	62 mg/m³
	10 ppm
Spain - Occupational Exposure Limits	
Local name	Acetato de bencilo
VLA-ED (OEL TWA)	62 mg/m³
	10 ppm
USA - ACGIH - Occupational Exposure Limits	
Local name	Benzyl acetate
ACGIH® TLV® TWA	10 ppm
Remark (ACGIH®)	URT irr
CAMPHOR (464-49-3)	
Belgium - Occupational Exposure Limits	
OEL TWA	12 mg/m³ (Camphre (synthétique); Belgium; Time-weighted average exposure limit 8 h)

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAMPHOR (464-49-3)	
	2 ppm (Camphre (synthétique); Belgium; Time-weighted average exposure limit 8 h)
OEL STEL	19 mg/m³ (Camphre (synthétique); Belgium; Short time value)
	3 ppm (Camphre (synthétique); Belgium; Short time value)
France - Occupational Exposure Limits	
VLEP 8h (OEL TWA)	12 mg/m³ (Camphre; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
	2 ppm (Camphre; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	13 mg/m³ Bornan-2-one; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
	2 ppm Bornan-2-one; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
WEL STEL (OEL STEL)	19 mg/m³ Bornan-2-one; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)
	3 ppm Bornan-2-one; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)
USA - ACGIH - Occupational Exposure Limits	
ACGIH® TLV® TWA	2 ppm (Camphor, synthetic; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH® TLV® STEL	3 ppm (Camphor, synthetic; USA; Short time value; TLV - Adopted Value)
D-LIMONENE (5989-27-5)	
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	(R)-p-Mentha-1,8-dien (D-Limonen)
AGW (OEL TWA)	28 mg/m³
	5 ppm
Peak exposure limitation factor	4(II)
Remark	DFG,H,Sh,Y
Regulatory reference	TRGS900
Spain - Occupational Exposure Limits	
Local name	d-Limoneno
VLA-ED (OEL TWA)	168 mg/m³ d-Limoneno
	30 ppm d-Limoneno
Remark	Entrada en vigor en 2018. Sen (Sensibilizante. Véase Apartado 6), Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante. Para más información véase el Apartado 5 de este documento).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ALPHA-PINENE (80-56-8)	
Belgium - Occupational Exposure Limits	
Local name	Essence de térébenthine et monoterpènes sélectionnés # Terpentijn en geselecteerde monoteren
OEL TWA	20 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
Spain - Occupational Exposure Limits	
Local name	α-pineno (monoterpeno)
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT
CITRAL (5392-40-5)	
Belgium - Occupational Exposure Limits	
Local name	Citral (vapeur et aérosol) # Citral (damp en aérosol)
OEL TWA	32 mg/m³
	5 ppm
Remark	D: la mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air. # D: de vermelding "D" betekent dat de opname van het agens via de huid, de slijmvliezen of de ogen een belangrijk deel van de totale blootstelling vormt. Deze opname kan het gevolg zijn van zowel direct contact als zijn aanwezigheid in de lucht.
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
Spain - Occupational Exposure Limits	
Local name	Citral
VLA-ED (OEL TWA)	5 ppm
Remark	Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante), Sen (Sensibilizante), FIV (Fracción inhalable y vapor. La notación FIV señala a aquellos agentes químicos que se pueden presentar en el ambiente de trabajo, tanto en forma de materia particulada como vapor, por lo que las dos fases pueden coexistir, contribuyendo ambas a la exposición. Esta situación se puede dar, principalmente, en los siguientes casos: • Cuando el agente en cuestión tiene un valor "intermedio" de presión de vapor (en estos casos se tiene en cuenta la relación entre su concentración en el aire saturado de vapor y el valor del VLA-ED® y la nota se asigna, generalmente, cuando el cociente entre ambas cantidades se encuentra entre 0.1 y 10). • Por razón de la forma de uso del agente químico (por ejemplo, pulverización). • En los procesos que conlleven cambios importantes de temperatura que puedan afectar al estado físico del agente químico. • En los procesos en los que una fracción significativa del vapor puede disolverse o adsorberse en las partículas de otra sustancia, a semejanza de lo que ocurre con los agentes solubles en agua en ambientes con humedad elevada).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT
USA - ACGIH - Occupational Exposure Limits	
Local name	Citral
ACGIH® TLV® TWA	5 ppm (IFV - Inhalable fraction and vapor)

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CITRAL (5392-40-5)	
Remark (ACGIH®)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
BETA-PINENE (127-91-3)	
Belgium - Occupational Exposure Limits	
Local name	Essence de térébenthine et monoterpènes sélectionnés # Terpentijn en geselecteerde monoterpenen
OEL TWA	20 ppm
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
Spain - Occupational Exposure Limits	
Local name	β-pineno (monoterpeno)
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:
Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:
Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:
Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:
Wear suitable protective clothing

Hand protection:
Protective gloves

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: COLORLESS TO YELLOW
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Flammable liquid and vapour.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 44 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not applicable (not soluble in water)
Viscosity, kinematic	: Not available
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.876 (0.866 – 0.886)
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Refractive index : 1.44981 (1.43981 – 1.45981)

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

4-(P-HYDROXYPHENYL)-2-BUTANONE (5471-51-2)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

BENZYL ACETATE (140-11-4)

LD50 oral rat	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 15 day(s))
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Rabbit, Experimental value, Dermal, 14 day(s))

CAMPHOR (464-49-3)

LD50 oral	1500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	0.5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h

ALLYL HEXANOATE (123-68-2)

LD50 oral	218 mg/kg
LD50 dermal rabbit	820 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 700 - 940
LD50 dermal	300 mg/kg

OCIMENE (13877-91-3)

LD50 oral	5000 mg/kg bodyweight
-----------	-----------------------

D-LIMONENE (5989-27-5)

LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

BETA-MYRCENE (123-35-3)	
LD50 oral rat	> 11390 mg/kg bodyweight Animal: rat
LD50 oral	> 3380 mg/kg bodyweight Animal: mouse
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
ALPHA-PINENE (80-56-8)	
LD50 oral rat	> 500 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 01 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))
TERPINOLENE (586-62-9)	
LD50 oral rat	4390 mg/kg (Rat)
LD50 oral	3775 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
GERANIOL (106-24-1)	
LD50 oral	3600 mg/kg bodyweight
LINALOOL (78-70-6)	
LD50 oral	2790 mg/kg
CITRAL (5392-40-5)	
LD50 oral rat	≈ 6800 mg/kg bodyweight Animal: rat
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Remarks on results: other:
ALPHA-TERPINENE (99-86-5)	
LD50 oral	1680 mg/kg bodyweight
MYRCENE (123-35-3)	
LD50 oral rat	> 11390 mg/kg bodyweight Animal: rat
LD50 oral	> 3380 mg/kg bodyweight Animal: mouse
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
BETA-PINENE (127-91-3)	
LD50 oral rat	4700 mg/kg (Rat, Oral)
CAMPHENE (79-92-5)	
LD50 oral	> 5000 mg/kg (Mouse, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Rabbit, Read-across, Skin)
ETHYL BUTYRATE (105-54-4)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other:
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat [ppm]	> 4000 ppm Animal: rat, Guideline: other:, Remarks on results: other:

Skin corrosion/irritation : Causes skin irritation.

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAMPHENE (79-92-5)	
pH	5.5
ETHYL BUTYRATE (105-54-4)	
pH	4.18 Temp.: 29 °C Concentration: 1 other:
Serious eye damage/irritation	: Causes serious eye irritation.
CAMPHENE (79-92-5)	
pH	5.5
ETHYL BUTYRATE (105-54-4)	
pH	4.18 Temp.: 29 °C Concentration: 1 other:
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
BENZYL ACETATE (140-11-4)	
IARC group	3 - Not classifiable
D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
BETA-MYRCENE (123-35-3)	
IARC group	2B - Possibly carcinogenic to humans
MYRCENE (123-35-3)	
IARC group	2B - Possibly carcinogenic to humans
CITRAL (5392-40-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
CAMPHOR (464-49-3)	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure	: Not classified
4-(P-HYDROXYPHENYL)-2-BUTANONE (5471-51-2)	
NOAEL (oral, rat, 90 days)	≈ 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
BETA-MYRCENE (123-35-3)	
LOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (subchronic, oral, animal/male, 90 days)	500 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	250 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
MYRCENE (123-35-3)	
LOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

MYRCENE (123-35-3)	
NOAEL (subchronic, oral, animal/male, 90 days)	500 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	250 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Aspiration hazard : May be fatal if swallowed and enters airways.

BENZYL ACETATE (140-11-4)	
Viscosity, kinematic	4.265 mm²/s

CAMPHOR (464-49-3)	
Viscosity, kinematic	Not applicable

D-LIMONENE (5989-27-5)	
Viscosity, kinematic	No data available in the literature

ALPHA-PINENE (80-56-8)	
Viscosity, kinematic	No data available in the literature

BETA-PINENE (127-91-3)	
Viscosity, kinematic	2.5 mm²/s (20 °C, Calculated)

ETHYL BUTYRATE (105-54-4)	
Viscosity, kinematic	0.82 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

4-(P-HYDROXYPHENYL)-2-BUTANONE (5471-51-2)	
LC50 - Fish [1]	75746 mg/l Test organisms (species):
EC50 - Crustacea [1]	< 100 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	101054 mg/l Test organisms (species):

BENZYL ACETATE (140-11-4)	
LC50 - Fish [1]	4 mg/l (ASTM E729-80, 96 h, Oryzias latipes, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	17 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)

CAMPHOR (464-49-3)	
LC50 - Fish [1]	33.25 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	4.23 mg/l Test organisms (species): Daphnia magna

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAMPHOR (464-49-3)	
EC50 72h - Algae [1]	0.3 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	1.71 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ALLYL HEXANOATE (123-68-2)	
LC50 - Fish [1]	0.117 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	2 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 4.6 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	0.778 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
D-LIMONENE (5989-27-5)	
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
BETA-MYRCENE (123-35-3)	
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.342 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.31 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ALPHA-PINENE (80-56-8)	
LC50 - Fish [1]	0.303 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.475 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Locomotor effect)
CITRAL (5392-40-5)	
LC50 - Fish [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	103.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
MYRCENE (123-35-3)	
EC50 - Crustacea [1]	1.47 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.342 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

MYRCENE (123-35-3)	
EC50 72h - Algae [2]	0.31 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
BETA-PINENE (127-91-3)	
LC50 - Fish [1]	0.557 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Semi-static system, Fresh water, Weight of evidence, Other isomer)
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Weight of evidence, Other isomer)
CAMPHENE (79-92-5)	
LC50 - Fish [1]	0.72 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.72 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	> 1000 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
ETHYL BUTYRATE (105-54-4)	
LC50 - Fish [1]	≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	116.6 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	28833 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	1483 mg/l Test organisms (species): other: Duration: '28 d'
12.2. Persistence and degradability	
Pegasus Piss Solvent Free Terpene Profile	
Persistence and degradability	Rapidly degradable
4-(P-HYDROXYPHENYL)-2-BUTANONE (5471-51-2)	
Persistence and degradability	Biodegradability in water: no data available.
HEXYL BUTYRATE (2639-63-6)	
Persistence and degradability	Rapidly degradable
BENZYL ACETATE (140-11-4)	
Persistence and degradability	Readily biodegradable in water.
CAMPHOR (464-49-3)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.8 g O ₂ /g substance
ALLYL HEXANOATE (123-68-2)	
Persistence and degradability	Rapidly degradable
OCIMENE (13877-91-3)	
Persistence and degradability	Rapidly degradable
BETA-CARYOPHYLLENE (87-44-5)	
Persistence and degradability	Rapidly degradable

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

D-LIMONENE (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance
BETA-MYRCENE (123-35-3)	
Persistence and degradability	Readily biodegradable in water.
ALPHA-PINENE (80-56-8)	
Persistence and degradability	Readily biodegradable in water.
TERPINOLENE (586-62-9)	
Persistence and degradability	Forming sediments in water,Biodegradability in soil: no data available,Adsorbs into the soil.
ThOD	3.294 g O ₂ /g substance
GERANIOL (106-24-1)	
Persistence and degradability	Rapidly degradable
LINALOOL (78-70-6)	
Persistence and degradability	Rapidly degradable
CITRAL (5392-40-5)	
Persistence and degradability	Rapidly degradable
ALPHA-TERPINENE (99-86-5)	
Persistence and degradability	Rapidly degradable
ETHYL CAPROATE (123-66-0)	
Persistence and degradability	Rapidly degradable
MYRCENE (123-35-3)	
Persistence and degradability	Rapidly degradable
BETA-PINENE (127-91-3)	
Persistence and degradability	Readily biodegradable in water.
CAMPHENE (79-92-5)	
Persistence and degradability	Not readily biodegradable in water.
3-HEXENOL (928-96-1)	
Persistence and degradability	Rapidly degradable
ETHYL BUTYRATE (105-54-4)	
Persistence and degradability	Rapidly degradable
ETHYL ISOVALERATE (108-64-5)	
Persistence and degradability	Rapidly degradable
GAMMA UNDECALACTONE (104-67-6)	
Persistence and degradability	Rapidly degradable

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

4-(P-HYDROXYPHENYL)-2-BUTANONE (5471-51-2)

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

BENZYL ACETATE (140-11-4)

BCF - Fish [1]	8 (Pisces, Flow-through system, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	1.96 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

CAMPHOR (464-49-3)

Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
---------------------------	--

D-LIMONENE (5989-27-5)

BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \leq \text{Log Kow} \leq 5$).

BETA-MYRCENE (123-35-3)

Partition coefficient n-octanol/water (Log Pow)	5.285 (Literature, 25 °C)
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).

ALPHA-PINENE (80-56-8)

BCF - Other aquatic organisms [1]	1233.1 – 1248 l/kg (BCFBAF v3.01, Read-across, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.487 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).

TERPINOLENE (586-62-9)

Partition coefficient n-octanol/water (Log Pow)	4.23
---	------

BETA-PINENE (127-91-3)

BCF - Fish [1]	1125 l/kg (BCFBAF v3.01, Pisces, Fresh water, QSAR, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	4.425 (Similar product, Read-across, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \leq \text{Log Kow} \leq 5$).

CAMPHENE (79-92-5)

BCF - Fish [1]	432 – 1290 (OECD 305: Bioconcentration: Flow-Through Fish Test, 8 week(s), Cyprinus carpio, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	4.22 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$).

12.4. Mobility in soil

BENZYL ACETATE (140-11-4)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.4 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for adsorption in soil.

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

D-LIMONENE (5989-27-5)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.
BETA-MYRCENE (123-35-3)	
Ecology - soil	No (test)data on mobility of the substance available.
ALPHA-PINENE (80-56-8)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.853 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil. May be harmful to plant growth, blooming and fruit formation.
BETA-PINENE (127-91-3)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.009 – 3.836 (log Koc, Calculated value, Other isomer)
Ecology - soil	Low potential for mobility in soil.
CAMPHENE (79-92-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.081 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Ecology - soil	Low potential for mobility in soil.

12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	BENZYL ACETATE (140-11-4), D-LIMONENE (5989-27-5), ALPHA-PINENE (80-56-8)(¹), BETA-PINENE (127-91-3), CAMPHENE (79-92-5)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	BENZYL ACETATE (140-11-4), D-LIMONENE (5989-27-5), ALPHA-PINENE (80-56-8)(¹), BETA-PINENE (127-91-3), CAMPHENE (79-92-5)

(¹) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Flammable vapours may accumulate in the container. Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.1. UN number or ID number

UN-No. (ADR)	: UN 1197
UN-No. (IMDG)	: UN 1197
UN-No. (IATA)	: UN 1197
UN-No. (ADN)	: UN 1197
UN-No. (RID)	: UN 1197

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: EXTRACTS, LIQUID
Proper Shipping Name (IMDG)	: EXTRACTS, LIQUID
Proper Shipping Name (IATA)	: Extracts, liquid
Proper Shipping Name (ADN)	: EXTRACTS, LIQUID
Proper Shipping Name (RID)	: EXTRACTS, LIQUID
Transport document description (ADR)	: UN 1197 EXTRACTS, LIQUID, 3, III, (D/E)
Transport document description (IMDG)	: UN 1197 EXTRACTS, LIQUID, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 3
Danger labels (ADR)	: 3
	:



IMDG

Transport hazard class(es) (IMDG)	: 3
Danger labels (IMDG)	: 3
	:



IATA

Transport hazard class(es) (IATA)	: 3
Danger labels (IATA)	: 3
	:



ADN

Transport hazard class(es) (ADN)	: 3
Danger labels (ADN)	: 3
	:



RID

Transport hazard class(es) (RID)	: 3
Danger labels (RID)	: 3

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: III
Packing group (ADN)	: III
Packing group (RID)	: III


14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T2
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: 3Y

Transport by sea

Special provisions (IMDG)	: 223, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3
ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T2
Portable tank and bulk container special provisions (RID) : TP1
Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	Pegasus Piss Solvent Free Terpene Profile ; OCIMENE ; D-LIMONENE ; BETA-MYRCENE ; ALPHA-PINENE ; ALPHA-TERPINENE ; ETHYL CAPROATE ; MYRCENE ; BETA-PINENE ; 3-HEXENOL ; ETHYL BUTYRATE ; ETHYL ISOVALERATE
3(b)	Pegasus Piss Solvent Free Terpene Profile ; ALLYL HEXANOATE ; OCIMENE ; BETA-CARYOPHYLLENE ; D-LIMONENE ; BETA-MYRCENE ; ALPHA-PINENE ; TERPINOLENE ; GERANIOL ; LINALOOL ; CITRAL ; ALPHA-TERPINENE ; ETHYL CAPROATE ; MYRCENE ; BETA-PINENE ; 3-HEXENOL ; ETHYL ISOVALERATE
3(c)	Pegasus Piss Solvent Free Terpene Profile ; HEXYL BUTYRATE ; BENZYL ACETATE ; ALLYL HEXANOATE ; OCIMENE ; D-LIMONENE ; BETA-MYRCENE ; ALPHA-PINENE ; TERPINOLENE ; ALPHA-TERPINENE ; MYRCENE ; BETA-PINENE ; ETHYL BUTYRATE ; GAMMA UNDECALACTONE
40.	CAMPHOR ; OCIMENE ; D-LIMONENE ; BETA-MYRCENE ; ALPHA-PINENE ; ALPHA-TERPINENE ; ETHYL CAPROATE ; MYRCENE ; BETA-PINENE ; CAMPHENE ; 3-HEXENOL ; ETHYL BUTYRATE ; ETHYL ISOVALERATE

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
Major Accidents Ordinance (12. BImSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class II-1
Store unit : 5 liter
Classification remarks : R10 <H226;H304;H315;H317;H319;H410>; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with it.
If an employee is pregnant or breastfeeding and the person in question uses or is exposed to this product at work, the employer must always carry out a risk assessment of the work. The assessment must both deal with the dangerousness of the impact and its strength and duration. The employer's decision that a pregnant or lactating woman can perform a specific work task must therefore be made in the context of her specific working conditions. See also WEA-Guideline A.1.8-7 on the working environment of pregnant and breastfeeding workers.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstracts Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2

Pegasus Piss Solvent Free Terpene Profile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.